

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): An assembly comprising a wood floor juxtaposed with a material comprising a felt of mineral fibers wherein the felt includes binder that is in an amount from 3 to 30% by weight.

Claim 2 (Currently Amended): The assembly as claimed in ~~the preceding~~ claim 1, ~~characterized in that~~ wherein the felt has a thickness ranging from 2 to 10 mm.

Claim 3 (Currently Amended): The assembly as claimed in ~~the preceding~~ claim 2, ~~characterized in that~~ wherein the felt has a thickness ranging from 3 to 7 mm.

Claim 4 (Currently Amended): The assembly as claimed in ~~one of the preceding~~ claims claim 1, ~~characterized in that~~ wherein the fibers of the felt have a fineness index ranging from 3 to 25 liters per minute.

Claim 5 (Currently Amended): The assembly as claimed in ~~the preceding~~ claim 1, ~~characterized in that~~ wherein the fibers of the felt have a fineness index ranging from 10 to 15 l/min.

Claim 6 (Currently Amended): The assembly as claimed in ~~the preceding~~ claim 1, ~~characterized in that~~ wherein the mineral fibers are glass fibers.

Claim 7 (Cancelled).

Claim 8 (Currently Amended): The assembly as claimed in ~~the preceding~~ claim 7, characterized in that ~~wherein the felt includes some~~ binder is in an amount from 5 to 25% by weight.

Claim 9 (Currently Amended): The assembly as claimed in ~~the preceding~~ claim 8, characterized in that ~~wherein the felt includes some~~ binder is in an amount from 6 to 16% by weight.

Claim 10 (Currently Amended): The assembly as claimed in ~~one of the preceding~~ claims claim 1, characterized in that ~~wherein~~ the binder is of the thermosetting type.

Claim 11 (Currently Amended): The assembly as claimed in ~~one of the preceding~~ claims claim 1, characterized in that ~~wherein~~ the binder is of the phenolic or acrylic or epoxy type.

Claim 12 (Currently Amended): The assembly as claimed in ~~one of the preceding~~ claims claim 1, characterized in that ~~wherein~~ the fibers were produced by the internal centrifugation process.

Claim 13 (Currently Amended): The assembly as claimed in ~~one of the preceding~~ claims claim 1, characterized in that ~~wherein~~ the material includes at least one veil.

Claim 14 (Currently Amended): The assembly as claimed in ~~the preceding~~ claim 13, characterized in that ~~wherein the~~ at least one veil is on an external face of the assembly.

Claim 15 (Currently Amended): The assembly as claimed in ~~either of the two preceding claims~~ claim 13, ~~characterized in that wherein the~~ at least one veil has a mass per unit area ranging from 5 to 100 g/m².

Claim 16 (Currently Amended): The assembly as claimed in ~~one of the three preceding claims~~ claim 13, ~~characterized in that wherein the~~ at least one veil is made of polyester.

Claim 17 (Currently Amended): The assembly as claimed in ~~one of the preceding claims~~ claim 1, ~~characterized in that wherein~~ the material and the wood floor are adhesively bonded to each other.

Claim 18 (Currently Amended): The assembly as claimed in ~~one of the preceding claims~~ claim 1, ~~characterized in that wherein~~ the wood floor is a laminate.

Claim 19 (Currently Amended): A building that includes an assembly as claimed in ~~one of the preceding claims~~ claim 1.

Claim 20 (Currently Amended): A felt comprising mineral fibers, with a thickness ranging from 2 to 10 mm and a mass per unit area of at least 130 g/m², wherein the felt includes binder that is in an amount from 3 to 30% by weight.

Claim 21 (Currently Amended): The felt as claimed in ~~the preceding~~ claim 20, ~~characterized in that its~~ wherein the mass per unit area ranges from 180 to 700 g/m².

Claim 22 (Currently Amended): The felt as claimed in ~~one of the preceding felt~~
~~claims claim 20, characterized in that it~~ wherein the felt has a thickness ranging from 3 to 7
mm.

Claim 23 (Currently Amended): The felt as claimed in ~~one of the preceding felt~~
~~claims claim 20, characterized in that its~~ wherein the mineral fibers have a fineness index
ranging from 3 to 25 liters per minute.

Claim 24 (Currently Amended): The felt as claimed in ~~the preceding claim 23,~~
~~characterized in that its~~ wherein the mineral fibers have a fineness index ranging from 10 to
15 l/min.

Claim 25 (Cancelled).

Claim 26 (Currently Amended): The felt as claimed in ~~one of the preceding felt~~
~~claims claim 25, characterized in that it includes some~~ wherein the binder is in an amount
from 5 to 25% by weight.

Claim 27 (Currently Amended): The felt as claimed in ~~the preceding claim 26,~~
~~characterized in that the felt includes some~~ wherein the binder is in an amount from 6 to 16%
by weight.

Claim 28 (Currently Amended): The felt as claimed in ~~one of the preceding felt~~
~~claims claim 20, characterized in that~~ wherein the binder is of the thermosetting type.

Claim 29 (Currently Amended): The felt as claimed in ~~one of the preceding felt~~
~~claims claim 20, characterized in that~~ wherein the binder is of the phenolic or acrylic or
epoxy type.

Claim 30 (Currently Amended): The felt as claimed in ~~one of the preceding felt~~
~~claims claim 20, characterized in that~~ wherein the fibers ~~were~~ are produced by the internal
centrifugation process.

Claim 31 (Currently Amended): The felt as claimed in ~~one of the preceding felt~~
~~claims claim 20, characterized in that~~ wherein the mineral fibers are glass fibers.

Claim 32 (Currently Amended): The A method use of using a material ~~comprising~~
including a felt of mineral fibers, comprising:

placing said material ~~being placed~~ on a floor base and under a wood floor in a room,
in order to attenuate the impact noise in the room caused by ~~the~~ an impact with said wood
floor.

Claim 33 (Currently Amended): The use method as claimed in ~~the preceding~~ claim
32, further comprising:

~~characterized in that~~ placing the material is ~~not adhesively bonded~~ un-bonded into to
the floor base.